



**Domestic  
Steel Security Doors**

# VINEYARD

## Security Screen Door

### *Features...*

- This Door Series is Built To Order
- Standard Size 3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- "Vineyard" Design, Plasma Cut from 1/8" Steel
- Removable "Welcome" Insert, Plasma Cut from 1/8" Steel
- For Optional Insert Designs - Refer to Page 29
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Built to Order



SEE PAGE 28 FOR CUSTOM OPTIONS



# FRANCISCAN

**NEW**

## Security Screen Door

### *Features...*

- This Door Series is Built To Order
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1/2" sq. x 18 Ga. Vertical Steel Pickets
- 3/4" sq. x 18 Ga. Horizontal Steel Pickets
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Built to Order



SEE PAGE 28 FOR CUSTOM OPTIONS

# ITALIAN LEAF

**NEW**

## Security Screen Door



### *Features...*

- 1-1/2" sq. x 16 Ga. 1-Piece, 3-sided Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1" sq. x 18 Ga. Horizontal Pickets
- 5/8" sq. x 18 Ga. Vertical Pickets
- 1/4" x 12" Steel Scrolls w/Leaves
- Decorative Collars on Pickets
- Double Hole Lock-Box, w/ 2-1/8" Bore & 2-3/8" Backset
- Lock Ring Guard
- Continuous 1/8" x 1" Steel Top & Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Specify Left or Right side hinges (from outside looking in)
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Built to Order

SEE PAGE 28 FOR CUSTOM OPTIONS



# ENGLISH IVY

**NEW**

## Security Screen Door

### *Features...*

- 1-1/2" sq. x 16 Ga. 1-Piece, 3-sided Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1" sq. x 18 Ga. Horizontal Steel Pickets
- 5/8" sq. x 18 Ga. Vertical & Arched Pickets
- Aluminum Ivy Casting at Center
- Decorative Collars on Pickets
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Lock Ring Guard
- Continuous 1/8" x 1" Steel Top & Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Specify Left or Right side hinges (from outside looking in)
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade



### *Standard Finishes...*

- Built to Order

SEE PAGE 28 FOR CUSTOM OPTIONS

# SONOMA

**NEW**

## Security Screen Door



### *Features...*

- 1-1/2" sq. x 16 Ga. 1-Piece, 3-sided Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1" sq. x 18 Ga. Horizontal Pickets
- 5/8" sq. x 18 Ga. Vertical & Arched Pickets
- Aluminum Grape Vine Casting at Center
- Aluminum Grape Vine Casting at Top
- Double Hole Lock-Box, w/ 2-1/8" Bore & 2-3/8" Backset
- Lock Ring Guard
- Continuous 1/8" x 1" Steel Top & Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Specify Left or Right side hinges (from outside looking in)
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Built to Order

SEE PAGE 28 FOR CUSTOM OPTIONS



# GRANADA


## Security Screen Door

### Features...

- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1/2" sq. x 18 Ga. Vertical Steel Pickets
- 1/2" sq. x 18 Ga. Horizontal Steel Pickets
- Two Signature Aluminum Castings
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### Standard Finishes...

- Adobe, Almond, Black, Bronze & White with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS



# BARCELONA


## Security Screen Door

### *Features...*


- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" sq. x 18 ga. steel door frame
- 1/2" sq. x 18 Ga. Vertical Steel Pickets
- 1/2" sq. x 18 Ga. Horizontal Steel Pickets
- 1/8" Thick x 1/2" Wide Steel Scroll Design
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Black, Bronze & White with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS





# MADRID

## Security Screen Door

### *Features...*


- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1" sq. x 18 Ga. Steel Horizontal Tubes at Lock-Box
- 1/2" sq. x 18 Ga. Vertical Steel Pickets  
(3 Twisted - 2 Straight)
- 1/2" sq. x 18 Ga. Horizontal Steel Pickets
- 1/8" Thick x 1/2" Wide Steel Scroll Designs
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh is an Up-Grade

### *Standard Finishes...*

- Black, White with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS





# PARADISE

## Security Screen Door

### *Features...*


- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1/2" sq. x 18 Ga. Steel Pickets
- Removable "Hummingbird" Insert, Plasma Cut from 1/8" Steel
- For Optional Insert Designs - Refer to Page 29
- Double Hole Lock-Box w/ 2 1/8" Bore & 2 3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Almond, White with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS





# WOODGUARD


## Security Screen Door

### *Features...*

- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- 3/4" Thick Colonial Wood Pattern with Light Oak Wood Insert
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh is an Up-Grade

### *Standard Finishes...*

- Bronze/Oak with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS

# CAROLINA

## Security Screen Door

### *Features...*


- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" x 2" x 16 Ga. Steel Door Frame
- 5/8" sq. x 18 Ga. Vertical Steel Pickets
- 1/2" sq. x 18 Ga. Horizontal Steel Pickets
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- White with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS





# STEEL MASTER


## Security Screen Door

### Features...

- Standard Sizes:  
2'6" x 6'8" (33-1/2" x 82" Net Overall Frame)  
2'8" x 6'8" (35-1/2" x 82" Net Overall Frame)  
3'0" x 6'8" (39-1/2" x 82" Net Overall Frame)
- Custom Sizes Available
- 1-1/2" sq. x 16 Ga. One Piece - 3 Sided Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 5/8" sq. x 18 Ga. Vertical Steel Pickets
- 3/8" sq. x 18 Ga. Horizontal Steel Pickets
- 1/8" Thick x 1/2" Wide Steel Scroll Designs
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Lock Ring Guard
- Continuous 1/8" x 1" Steel Top & Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Specify Left or Right side hinges (from outside looking in)
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh is an Up-Grade

### Standard Finishes...

- Black with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS

# DAKOTA

## Security Screen Door

### *Features...*


- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" x 2" x 16 Ga. Steel Door Frame
- 1" sq. x 18 Ga. Steel Horizontal Tubes at Lock-Box, Top, & Bottom
- 1/2" sq. x 18 Ga. Vertical Steel Pickets
- 1/2" sq. x 18 Ga. Horizontal Steel Pickets at Top, Center & Bottom
- 11 Ga. Dakota Designs at Top, Center, & Bottom
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Adobe, Almond with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS





# CLARION



## Security Screen Door

### *Features...*

- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 5/8" sq. x 18 Ga. Vertical Steel Pickets
- 1/2" sq. x 18 Ga. Horizontal Steel Pickets
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- White with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS

# IMPRESSIONS

## Security Screen Door

### *Features...*

- This Door Series is Built To Order
- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1/2" sq. x 18 Ga. Steel Pickets
- Removable "Welcome" Insert, Plasma Cut from 1/8" Steel
- For Optional Insert Designs - Refer to Page 29
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Built to Order



SEE PAGE 28 FOR CUSTOM OPTIONS





# IMPERIAL


## Security Screen Door

### Features...

- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" sq. x 18 Ga. Steel Door Frame
- 1" sq. x 18 Ga. Steel Horizontal Tubes at Lock-Box
- 1/2" sq. x 18 Ga. Vertical Steel Pickets (2 Twisted - 3 Straight)
- Ten Signature Aluminum Castings
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### Standard Finishes...

- Black, White with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS

# LONGEVITY

## Security Screen Door

### *Features...*

- This Door Series is Built To Order
- Standard Size 3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 16 Ga. Pre-Hung Steel Mounting Frame
- 1" x 2" x 18 Ga. Steel Door Frame
- 5/8" sq. x 18 Ga. Vertical Pickets
- Removable "Longevity" Insert, Plasma Cut From 1/8" Steel
- Signature Casting at Top and Bottom
- For Optional Insert Designs - Refer to Page 29
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Built to Order



SEE PAGE 28 FOR CUSTOM OPTIONS



# SUNBURST


## Security Screen Door

### *Features...*

- Standard Sizes:  
2'6" x 6'8" (33" x 81-3/4" Net Overall Frame)  
2'8" x 6'8" (35" x 81-3/4" Net Overall Frame)  
3'0" x 6'8" (39" x 81-3/4" Net Overall Frame)
- Custom Sizes Available
- 1-1/4" sq. x 18 Ga. 3-Piece Steel Mounting Frame
- 1" x 2" x 16 Ga. Steel Door Frame
- 5/8" sq. x 18 Ga. Crescent Picket at Lock-Box
- 1/2" sq. x 18 Ga. Radiant Pickets
- Double Hole Lock-Box w/ 2-1/8" Bore & 2-3/8" Backset
- Continuous 1/8" x 3/4" Lock Side "Tamper Guard"
- Tamper Proof Hinges
- 24 Ga. Perforated Steel Mesh for Extra Security
- Non-Handed
- Precision SAFEGUARD Packaging - w/One-Way Mounting Screws
- Contrasting Color Mesh (as shown) is an Up-Grade

### *Standard Finishes...*

- Adobe, Almond, Black, Bronze & White with Matching Perforated Steel Mesh
- Custom Finishes Available



SEE PAGE 28 FOR CUSTOM OPTIONS